

Device Manage – Device Setting – Device Param

ARFaceManager-V1.6.38(Aug 20 2020-21:01:12)

Added Devices

	Ip Address	Position
1	192.168.1.23	1
2	192.168.1.204	1

Video Preview

Device Manage

Device Search

Add Device

Device Setting

Staff Manage

Data Query

Account: admin

Language: System

Device Param | Upload Setting | Algorithm Snapshot | Display Setting | Video Setting | Panel Settings

Ip Setting

By Multicast Directly

Incremental Alloc From 192.168.1.100 to 192.168.1.200

Ip Address: 192.168.1.23 Default Gateway: 192.168.1.1

Subnet Mask: 255.255.255.0 Primary DNS: 192.168.1.1

Secondary DNS: Enable DHCP Reboot after Setting Set

WIFI Setting

SSID: Keeper-00:15:18:10:c2:b3 Password: wds0123456789 Network Mode: AP Default Gateway: 192.168.10.1 Set

NTP Setting

Ntp Server: ntp.nict.jp Port: 123

Update Cycle(Min): 480 TimeZone: (GMT+09:00) Seoul,Tokyo,Osaka,Sapporo

Enable NTP Set

Manual Time Setting

Device Time: 2021/9/14 17:59:44 Set time: 2021/9/14 17:45:28 Sync with PC Set

HTTP Settings

HTTP Port: 8080 HTTPS Port: 443 HTTPS Cert: Upload Cert Set

HTTP Setting 追加

Device Manage – Device Setting – Algorithm Snapshot

ARFaceManager-V1.6.38(Aug 20 2020-21:01:12)

Added Devices

	Ip Address	Position
1	192.168.1.23	1
2	192.168.1.204	1

Video Preview

Device Manage

Device Search

Add Device

Device Setting

Staff Manage

Data Query

Account: admin

Language: System

Device Param | Upload Setting | **Algorithm Snapshot** | Display Setting | Video Setting | Panel Settings

Snap Setting

Target Image Setting

Custom
 Mug Shot
 Upperbody
 Full Body

Height of Face Part: (<1.0-3.0)
 Height of Body Part: Face Height x (<0.0-10.0)
 Width: Face Width x (<1.0-5.0)

Fixed Pixel
 Image Width: x Image Height: (0-1000) Pixel

Background Image Setting

Image Quality:
 Image Resolution:
 Upload Background Image
 Upload Capture Image
 Upload Infrared Image
 Upload Register Image

Snap and Duplicate removal Setting

Enable Duplicate Removal
 Duplicate Removal Interval(0~1440Min):
 Recognize Interval(500-10000ms):

Common Setting

Temperature Measuring Setting: Enable Temperature Measuring
 IdCard Read Mode:
 Attribute Analysis:
 Enable Attribute Analysis
 Temperature Attribute
 Mask Attribute

Attend Setting

Store Attend Log
 Store Stranger Attend Log
 Attend Interval(0-10Min):

Other Setting

Liveness Recognize
 Enable FaceAE
 Draw Tracking Frame
 Debug Level:

Threshold Setting

Default Value

Max Width(0~1280)	<input type="text" value="400"/>	Min Width(0~1280)	<input type="text" value="40"/>	Max Yaw Angle(0~180)	<input type="text" value="30"/>	Min Yaw Angle(-180~0)	<input type="text" value="-30"/>
Max Height(0~720)	<input type="text" value="400"/>	Min Height(0~720)	<input type="text" value="40"/>	Max Pitch Angle(0~180)	<input type="text" value="30"/>	Min Pitch Angle(-180~0)	<input type="text" value="-30"/>
Max Roll Angle(0~180)	<input type="text" value="30"/>	Min Roll Angle(-180~0)	<input type="text" value="-30"/>	Quality Score Threshold(0~100)	<input type="text" value="30"/>	Straight Face Threshold(0~100)	<input type="text" value="50"/>
Blur Threshold(0~100)	<input type="text" value="30"/>	Recognize Threshold(0~100)	<input type="text" value="90"/>				

ブラウザCapture SettingsのBackground settingsの上記3点追加

ブラウザCapture SettingsのNormal settingsのID Reader Link Modeを追加

Device Manage – Device Setting – Display Setting

ARFaceManager-V1.6.38(Aug 20 2020-21:01:12)

Added Devices

	Ip Address	Position
1	192.168.1.23	1
2	192.168.1.204	1

Video Preview

Device Manage

Device Search

Add Device

Device Setting

Staff Manage

Data Query

Account: admin

Language: System

Device Param | Upload Setting | Algorithm Snapshot | **Display Setting** | Video Setting | Panel Settings

Image Setting

Brightness(0~100) Contrast(0~100) Saturation(0~100) Sharpness(0~100)

Video Setting

Mirror HDR Mode **Power Frequency** Enable exposure upperlimit

Digital Wide Dynamic

DRC Mode gain(1-16) k1(1-16) k2(0-100) k3(0-10)

OSD Setting

OSD Options

Display Name Display Time Display Date

Channel Name Time Format Date Format

Overlay

TopLeft BottomLeft TopRight BottomRight

ブラウザVideoのI Frame Intervalを追加 50HZ あるいは 60HZ

Device Manage – Device Setting – Panel Setting

ARFaceManager-V1.6.38(Aug 20 2020-21:01:12)

Video Preview

Device Manage

Device Search

Add Device

Device Setting

Staff Manage

Data Query

Account: admin

Language: System

	Ip Address	Position
1	192.168.1.23	1
2	192.168.1.204	1

Device Param | Upload Setting | Algorithm Snapshot | Display Setting | Video Setting | **Panel Settings**

Panel Param

UI Param

Show IP
 Show Recognize Zone
 Enable Liveness
 Light Mode: Close

Show Mac
 Show Recognize Result
 Enable Stranger Warning
 LCD Mode: Auto

Show Staff Num
 Show Temperature
 Language: Japanese

Show Track Frame
 Single Warning
 Voice: Woman

UI Style: Big Font Temp

Temperature Unit: Celsius | Lower Limit: 38 | Upper Limit: 39 | Body Temperature Offset(+/-0.5): 0 | Volume(0-100): 1

Unlock Condition

 Temperature | Guest | Mask

Set

Wiegand Settings

Wiegand Mode: Close | Wiegand Bitcount: | Wiegand Format: | Type: WorkId

PurseInterval(0-100000us): 1000 | PurseWidth(0-10000us): 100

Set

Panel Sound and Picture Setting

Background

(image: jpe/png, < 300kb, < 1020*600)

Get | Delete | Upload

Sound and picture

 Enable

Sound: Select

Background: Select

(image: jpe/png, < 300kb, < 1020*600)
(audio: wav, < 300kb)

Scene: Mask Scene Get Set

ブラウザAlgorithm Panel SettingsのPanel UI Settings UI Styleを追加

Staff Manage – Staff Authority

ARFaceManager-V1.6.38(Aug 20 2020-21:01:12)

Video Preview

Device Manage

Staff Manage

Staff Info

Staff Sync

Staff Authority

Authority Group

Data Query

Account: admin

Language: System

Added Devices

	Ip Address	Type	Position
1	192.168.1.23	APP_30	1
2	192.168.1.204	APP_30	1

Auth Group of Current Device

ID	Group

Access Control Param

Host AuthType: Face Secondary Card Card Doorlock Type: Normal Open Ver: V1.0.1

Auth FailAlarm: 0time **DoorLock Time: 5000ms** Doorlock Timeout: 5sec Configure Param

Staff Access Control Info

Key: By Id By Name Search Clear

WorkId	Name	Age	Gender	Card	Password	Auth	Role
Door Lock Time sec より ms に変更							

Auth Setting

Password: Card: AuthType: None Role: None Modify

Read Access Control Info Clear All Auth Group

Data Query - Attendance

ARFaceManager-V1.6.38(Aug 20 2020-21:01:12)

Added Devices

	Ip Address	Position
1	192.168.1.23	1
2	192.168.1.204	1

Attendance Records

Only Strangers Begin Time: 2000/01/01 0:00 End Time: 2021/09/14 17:45 Search Clear

WorkId	Group	Name	Gender	Phone	ID	Time	Temperature	Mask
--------	-------	------	--------	-------	----	------	-------------	------

Staff

Group: All

WorkId	Name
--------	------

Record Info

Name: WorkId:
Gender: Phone:
ID: Time:
Mask: Temperature:

フィルター追加

TEMP °C °F Mark Abnormal Temp Mark No Mask All Records Filtered Records Export Record

Records update

By Name By Id Search Clear

Download Image Update Record Clear Dev Record

Records filter

Date: 2000/01/01 - 2021/09/14 Working Time: 08:00 - 18:00 Filter